# PX348
PxArt Audio

Device description

PxArt Audio is a component of sound system designed for mounting on GLOBAL Trac® Pulse Control.

The device consists of a speaker, amplifier and *.wav file player, whole is connected to the control bus GT Pulse Control using included adapter.

The PX348 allows you to play audio tracks anywhere in the room equipped with a bus-bar system without the need for additional installation. The maximum number of supported tracks is 85, and their length depends on the capacity of the media (SD / SDHC card). The system can be controlled by any controller operating in the DMX-512 standard.

The device controlled by DMX allows you to play recordings, select a specific song, loop single or multiple tracks and smooth volume control. Using the PxArt Settings Controller (PX277) it is possible to adjust the low and high tones and set the DMX address. PX277 also allows you to define the behavior of the player in the absence of a DMX signal.

Technical drawing

57

264

Ø121,5

159

Connection diagram

1 — 3-phase DMX GLOBAL Trac®
Pulse Control bus-bar

2 — end feed

3 — power supply cable

4 — DMX wire (2 wires in the screen)

5 — GLOBAL Trac® GAC600 adapter

DMX+ DMX-
GND

Technical data

type	PX348
power supply	230V AC
amplifier power output	10W
audio digital format	*.wav
audio media cards type	SD / SDHC
max. supported number of tracks	85
device programming	yes (using PX277)
DMX-512 control LED	yes
mounting	GLOBAL Trac® Pulse Control bus-bar
available housing colors	silver, black or white
weight	3.6kg
dimensions	diameter: 121,5mm height: 264mm